



1580/1860/1880 Inks

# V4201

## Description

V4201 is a general purpose black MEK ink qualified for use in the Videojet 1580, 1860 and 1880 continuous inkjet (CIJ) printers. This ink is ideal for use in high-speed applications for a wide variety of substrates, particularly rigid plastics.






## Benefits

- iQMark™ food packaging ink offering:
  - Compliant with Swiss Food Packaging Ordinance Exclusion List
  - No CMR's (Carcinogens, Mutagens, Reproductive Toxins)
- Excellent adhesion to glass, aluminum, and some plastics
- Resistant to acids, bases, Mil Spec Solvent C, mineral spirits, and oils
- Heat resistance up to 300°C
- Good lightfast fade resistance

## Applications

This ink is used for coding and marking plastic substrates commonly used in food and beverage packaging, automotive, and extruded plastic industries. V4201 delivers excellent adhesion to a wide variety of other substrates including: acrylonitrile butadiene styrene (ABS), aluminum, glass, polystyrene, polycarbonate, polyester, and nylon.

No MEK/Low VOC (V930) and no Drug Precursor (V940) cleaners are available.



# V4201

1580/1860/1880 Inks

## Specifications

Product	Product Type	Color	Solvent Type	Container Size	Shelf life
V4201	Ink	Black	MEK	750 ml (-D), 1000 ml (-L)	18 months*
V7201	Make-up	Colorless to pale yellow	MEK	750 ml (-D), 1000 ml (-L)	24 months*
V901	Cleaner	Colorless to pale yellow	MEK	1 liter (-Q)	30 months*
V930	Cleaner	Colorless to pale yellow	Acetone/Ethanol	1 liter (-Q)	30 months*
V940	Cleaner	Colorless to pale yellow	Ethyl Acetate	1 liter (-Q)	30 months*

## Storage

\*Store between 2°C and 35°C.

## Printer Parameters

Qualified Models	Operating Temperature	Operating Humidity	Nozzle Compatibility
1580, 1860, 1880	0-50°C	10-90%	60µm, 70µm

## Certifications and Approvals

**iQMark™:** V4201 ink was responsibly designed and manufactured to maximize contrast, adhesion, and uptime while meeting safety, environmental, and regulatory requirements. Every batch is tested to ensure it meets strict quality control specifications.

**Heavy Metals:** V4201 ink meets the requirements of CONEG model legislation including 94/62/EC. For more information, refer to Knowledge Article 1153.\*\*

**RoHS:** V4201 ink meets the requirements of the RoHS 2 Directive 2011/65/EU and Directive (EU) 2015/863. For more information, refer to Knowledge Article 1159.\*\*

**REACH:** V4201 ink is in compliance with EU Regulation (EC) No. 1907/2006 as amended. For more information, refer to Knowledge Article 1156.\*\*

**Halogens:** V4201 ink meets the International Electrotechnical Commission (IEC) definition of Halogen-Free. For more information, refer to Knowledge Article 7920.\*\*

**Food Packaging:** V4201 ink may be used on the non-food contact side of food packaging. The packaging must provide a barrier between the ink and the food. When used in this manner, the inks are in compliance per 21 CFR 170.3(e)(1), Regulation (EC) No. 10/2011, and Regulation (EC) No. 2023/2006. For more information, refer to Knowledge Article 7921.\*\*

**Other:** V4201 ink does not contain major allergens, animal based raw materials, nor organisms, genetically modified or not. For more information refer to Knowledge Articles 1148, 1190, and 1152.\*\*

\*\*Environmental, Health, Safety, and Regulatory information can change without notice, consult the current Safety Data Sheet (SDS) which is available on the Videojet website. Knowledge Articles are available by calling or emailing Videojet.

Order supplies [shop.videojet.com](http://shop.videojet.com)  
Call **800-843-3610**  
Email [info@videojet.com](mailto:info@videojet.com)  
Or visit [www.videojet.com](http://www.videojet.com)

Videojet Technologies Inc.  
1500 Mittel Blvd. Wood Dale IL 60191 / USA



©2020 Videojet Technologies Inc. - All rights reserved. Videojet Technologies Inc.'s policy is one of continued product improvement. We reserve the right to alter design and/or specifications without notice.

